PINSIDUN®

SURFIX®

Professional Floor Care, Simplified. Reliable Equipment. Efficient Results.

Purpose-Built Equipment | Consistent Performance | Dependable Support



Complete Range of Commercial & Industrial Floor Scrubbers

Manufacturing | Warehousing | Retail | Education | Healthcare

PINSIDUN / SURFIX

Find the Right Floor Scrubber for Your Facility

Choose equipment based on floor conditions, facility layout and daily cleaning needs.



01 COMPACT & NARROW AREAS

Walk-Behind Floor Scrubbers

XS450 | XS530B | XS660

Retail stores, corridors, smaller facilities

Compact, maneuverable solutions for routine floor care.



02 MEDIUM-SIZED FACILITIES

Compact Ride-On Floor Scrubbers

SA600PRO | SA660PRO | XJ660PRO

Supermarkets, workshops, logistics sites

Comfortable ride-on operation for longer cleaning routes.



03 LARGE INDUSTRIAL AREAS

Large Ride-On & Sweeper-Scrubbers

XJ900PRO | XJ9600 | GS1100

Large warehouses and manufacturing facilities

Higher-capacity equipment for extensive floor areas.

Not sure which model fits?

Talk to us: info@surfixclean.com

PROFESSIONAL FLOOR CARE, SIMPLIFIED.

About PINSIDUN & SURFIX

With two independent brands, PINSIDUN and SURFIX, the company is based in Hefei, China. It focuses on the research, development and manufacturing of cost-effective commercial and industrial cleaning equipment.

Full industry chain layout:

Integrating research and development, production, sales, and after-sales service, with its own standardized production base, complemented by mature cleaning solutions and a comprehensive national service network.

Service Coverage Population:

The main business focuses on cooperation with distributors nationwide, with end customers covering multiple scenarios such as industrial factories, park properties, commercial complexes, hospitals, and educational institutions.

Corporate Philosophy:

Professional and enterprising, achieving mutual benefits through cooperation; simplifying cleaning operations to enhance service efficiency.



Technology Research and Development

8 years+of experience in the research, development, and manufacturing of industrial floor scrubbers.
High-tech Enterprise
Holds **16 patent** certificates

Production Capacity

Sheet metal workshop:
5,000 square meters
Rotational molding workshop:
4,000 square meters
Assembly workshop:
4,000 square meters
Production capacity:
6,000 units per year

National Service

200+dealer service stores, promptly assigned for on-site service

Enterprise Qualifications and Technical Certifications

Pinsidun possesses a complete set of corporate qualifications and authoritative certifications across all categories, ensuring both quality and compliance.

Research and development qualifications:

High-tech enterprise, multiple self-developed patents, core technologies independently mastered.

Production Certification:

Complete certifications for whole machine testing, production, and environmental protection, with the entire production process fully traceable.

Cooperation Assurance:

Authoritative qualifications enhance quality, providing compliant and reliable support for distributors and end customers.

Supporting services:

You can export the full set of certificates separately for bidding materials, support stamping with the company seal, offering a one-stop setup for bidding, submission, and factory entry review.

Qualification Certificate



Technical Certification

National High-Tech Enterprise

EU CE Export Quality Certification

CMA Authoritative Testing Certification

International Laboratory Accreditation

Accreditation by the National Recognition Committee

Holds 16 patent certificates

Product Commitment

Genuine Materials
Commitment to Quality

Persist in creating distinctive high-quality Chinese brands



NEW PSD-XJ900PRO

Water Tank Precision Engineering

- Imported raw materials
- Thickened wall
- Teflon process

Sturdy Frame Standard

- Q235 high-quality steel
- Thickened sheet metal structure
- Multiple anti-rust treatments
  galvanization/powder coating
  galvanization plus powder coating

First-Line Motor and Electrical Control

- Ametek Suction Motor
- Hengye Drive Motor
  Hengye Brush Motor
- Lynch/Da Neng Controller
- Tianli Charger

High-Quality Core Components

- All fasteners are
  304 stainless steel
- Xilejia solenoid valve
- Hongbo switch button

Made with solid materials
crafted to high standards
the entire machine is more durable

Service Commitment



Nationwide Stores Professional Services

One-Stop Service System for industrial & commercial Floor Scrubbers

Pre-sales Professional Survey

- On-site Survey
- Customized Solutions
- Actual Equipment Testing

Worry-Free Delivery During Purchase

- On-time delivery
- Installation and commissioning
- Practical training

Lifetime After-Sales Warranty

- Rapid On-Site Service
- Regular Maintenance
- Consumables Supply

There is a plan before the sale delivery during the sale and support after the sale.

Industrial & Commercial Floor Scrubber

Walk Behind


XS450


XS530B


XS530BT(Self-propelled)


XS660

Small Ride On PRO Series


SA600PRO


SA660PRO


XJ660PRO

Medium Ride On PRO Series


SA760PRO


XJ760PRO


XJ900PRO

Medium Ride On Series


XJ860

Large Ride On Series


XJ9600


GS1100

PSD-XS450
Walk-Behind Floor Scrubber



- Lightweight body suitable for small-scale ground scenarios
- Brushless motor longer working time
- Built-in charger convenient
- Mechanical panel easy to operate

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	2200M²/H
Squeegee Width	680MM
Brush Diameter	17INCH*1
Clean Water Tank	40L
Sewage Tank	45L
Battery Pack	24V76Ah
Working Time	3-4H
Overall Dimensions	1150*710*970MM



PSD-XS530B
Walk-Behind Floor Scrubber



- Upgrade LCD panel function Integration
- Standard ECO mode silent
- Open sewage tank easier to maintain
- Cast aluminum brush cover Aesthetically pleasing

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	2800M²/H
Squeegee Width	830MM
Brush Diameter	19INCH*1
Clean Water Tank	50L
Sewage Tank	55L
Battery Pack	24V100Ah
Working Time	3-4H
Overall Dimensions	1315*900*1075MM



PSD-XS530BT
Walk-Behind Floor Scrubber (Self-propelled)



- Ametek suction motor
- Equipped with a drive motor For greater ease of use
- Hengye brush motor
- Enlarged water tank 60L/65L

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	2800M²/H
Squeegee Width	830MM
Brush Diameter	19INCH*1
Clean Water Tank	60L
Sewage Tank	65L
Battery Pack	24V100Ah
Working Time	3-4H
Overall Dimensions	1315*900*1075MM



PSD-XS660
Walk-Behind Floor Scrubber (Self-propelled)



- Ametek suction motor
  Hengye brush motor
- Increased water tank capacity
  60L/65L
- Equipped with a drive motor
  It is more effortless
- Dual brush offer
  Higher efficiency

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	4500M²/H
Squeegee Width	1000MM
Brush Diameter	13INCH*2
Clean Water Tank	60L
Sewage Tank	65L
Battery Pack	24V100Ah
Working Time	3-4H
Overall Dimensions	1425*1000*1075MM



PSD-SA600PRO
Small Ride-On Floor Scrubber (Manually operated)



- Ametek suction motor
  Hengye brush motor
- Standard high-pressure
  Water gun cleaning kit
- Standard USB charging
  Port and indicator light
- Upgrade LCD panel
  Function integration

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	4200M²/H
Squeegee Width	900MM
Brush Diameter	21INCH*1
Clean Water Tank	80L
Sewage Tank	90L
Battery Pack	24V100Ah
Working Time	3-4H
Overall Dimensions	1460*900*1260MM



PSD-SA660PRO
Small Ride-On Floor Scrubber (Manually operated)



- Upgrade LCD panel
  Function integration
- Standard high-pressure
  Water gun cleaning kit
- Standard USB charging
  port and indicator light
- Dual brush disc
  Hengye brush motor

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	5500M²/H
Squeegee Width	1000MM
Brush Diameter	13INCH*2
Clean Water Tank	80L
Sewage Tank	90L
Battery Pack	24V100Ah
Working Time	3-4H
Overall Dimensions	1460*1000*1260MM



PSD-XJ660PRO
Small Ride-On Floor Scrubber (Fully automated)



- Upgrade LCD panel function Integration
- Automatic lifting of brush and squeegee
- Low voltage protection function
- Standard high-pressure water gun cleaning kit with USB charging port

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	5500M²/H
Squeegee Width	1000MM
Brush Diameter	13INCH*2
Clean Water Tank	80L
Sewage Tank	90L
Battery Pack	24V100Ah
Working Time	3-4H
Overall Dimensions	1465*1000*1260mm



PSD-SA760PRO
Medium Ride-on Floor Scrubber (Manually operated)



- Upgrade LCD panel function integration
- Manually lifting/lowering brush and squeegee
- Standard high-pressure water gun and cleaning kit
- 110L/120L clean water tank and sewage tank

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	6500M²/H
Squeegee Width	1080MM
Brush Diameter	15INCH*2
Clean Water Tank	110L
Sewage Tank	120L
Battery Pack	24V150Ah
Working Time	3-4H
Overall Dimensions	1560*1125*1315MM



PSD-XJ760PRO
Medium Ride-on Floor Scrubber (Fully automated)



- Upgrade LCD panel function integration
- Automatic squeegee lifting function for scrubber reversing
- Standard high-pressure water gun and cleaning kit
- 110L/120L clean water tank and sewage tank

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	6500M²/H
Squeegee Width	1080MM
Brush Diameter	15INCH*2
Clean Water Tank	110L
Sewage Tank	120L
Battery Pack	24V150Ah
Working Time	3-4H
Overall Dimensions	1560*1125*1315MM



PSD-XJ860
Medium Ride-on Floor Scrubber (Fully automated)



- Standard high-pressure water gun
- Lynch five-in-one controller
- Automatic squeegee lifting function for scrubber reversing

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	8000M²/H
Squeegee Width	1200MM
Brush Diameter	16INCH*2
Clean Water Tank	140L
Sewage Tank	150L
Battery Pack	24V200Ah
Working Time	5-6H
Overall Dimensions	1610*1200*1320MM



PSD-XJ900PRO
Medium Ride-on Floor Scrubber (Fully automated)



- Water tank upgraded to increase capacity
- Optimization and upgrade of the center of gravity structure
- Standard front-wheel-drive brushless motor
- 17-inch dual-brush with ground pressure function

Technical Project	Technical Specifications
Rated Voltage	24V
Work Efficiency	9000M²/H
Squeegee Width	1150MM
Brush Diameter	17INCH*2
Clean Water Tank	150L
Sewage Tank	160L
Battery Pack	24V200Ah
Working Time	5-6H
Overall Dimensions	1650*980*1330MM



PSD-XJ9600
Large Ride-on Scrubber (Fully automated)



- Intelligent LCD display panel
- Standard rear-wheel drive
  Front-wheel drive optional
- Large-capacity water tank and heavy-duty chassis
- All models come standard with motors and electronic controls from top-tier brands

Technical Project	Technical Specifications
Rated Voltage	36V
Work Efficiency	9600M²/H
Squeegee Width	1300MM
Brush Diameter	19INCH*2
Clean Water Tank	240L
Sewage Tank	260L
Battery Pack	36V200Ah
Working Time	7-8H
Overall Dimensions	1822*1200*1500MM



PSD-GS1100
Large Ride-on Scrubber (Fully automated)



1100 dual cylindrical brushes
Integrated scrubbing
and sweeping

All models come standard
with top-tier brand motors
and electronic controls.

Large-capacity water tank

36L stainless steel trash can

Technical Project	Technical Specifications
Rated Voltage	36V
Work Efficiency	9600M²/H
Squeegee Width	1300MM
Cylindrical Brush	850MM*2
Clean Water Tank	240L
Sewage Tank	260L
Battery Pack	36V200Ah
Working Time	7-8H
Overall Dimensions	1822*1200*1500MM



Applicable Ground Materials (hard and flat floor)



Epoxy Flooring



PVC flooring



Terrazzo



Ceramic Tile



Marble



Densified Concrete Floor



Cement



Plastic



Paint surface

All-scenario Cleaning Solutions











PINSIDUN / SURFIX

Let's Build Long-Term Partnerships

Floor cleaning equipment solutions for distributors, importers and OEM/ODM partners.

01

PRODUCT SELECTION SUPPORT

Discuss facility conditions, machine configurations and application requirements.

02

OEM / ODM COOPERATION

Explore branding, configuration options and market-specific product needs.

03

PARTS & TECHNICAL SUPPORT

Coordinate spare-parts information, service documentation and maintenance assistance.

04

DISTRIBUTOR COOPERATION

Discuss product line planning, market development and long-term supply arrangements.

Explore Products & Partnership Opportunities

Scan the code to visit our website and contact the team.

www.surfixclean.com

RELIABLE EQUIPMENT. EFFICIENT RESULTS.

PINSIDUN® | SURFIX®

PROFESSIONAL COMMERCIAL CLEANING EQUIPMENT

Pinsidun Surfix Technology Co., Ltd

+86 182 2588 5387
WhatsApp / WeChat: +86 182 2588 5387
info@surfixclean.com
www.surfixclean.com

OFFICE

No. 1788 Jinggang Road,
Shushan Economic Development Zone,
Shushan District, Hefei City,
Anhui Province, China

FACTORY

Zhongmeng Industrial Park,
No. 1 Hudong Road, Feixi County,
Anhui Province, China